


PART NO.:
2RF1009-015008F

NO.:	STATEMENT
0	Hold Back
1	STRAIGHT 75Ω
5	ASSEMBLY FOR CABLE+PANEL
0	JACK
08	SERIES NO.
F	HALOGEN FREE


REV.	ECN NO OR DESCRIPTION	REVISED	DATE
C	ECN NO.T110083/T120003	BERYL	2012.03.23
D	ECN NO.T120042	BERYL	2012.4.16
E	ECN NO.T130032	JEFF	2013.06.07



MATING PLUG

Contact Pin Definition

PIN	FUNCTION
#1	Signal
#2	Ground



DATE CODE: YYMMDD
BA39-01049A
REV: 2.0

N	NUT	1	BRASS	NICKEL PLATING
M	WASHER	1	BRASS 0.5t	NICKEL PLATING
L	LABEL	1	10X30mm	WHITE COLOR
K	HEAT SHRINK TUBE	1	∅2.5x26L	BLACK COLOR
J	O-TERMINAL	1	OD: 5 ; ID: 3.2	MATT. TIN PLATING
I	WIRE	1	UL10368 26AWG	BLACK COLOR
H	PROTECT TUBE	1	∅3.0x20L	TRANSPARENT COLOR
G	Mirco Coaxial Conn.	1	(50 ohm)BRASS	GOLD PLATING
F	WIRE	1	∅1.37 Coaxial Cable	GRAY COLOR
E	HEAT SHRINK TUBE	1	∅2.5x10L	BLACK COLOR
D	COPPER STOPPER	1	BRASS	NICKEL PLATING
C	CENTER CONTACT	1	BRASS	GOLD FLASH
B	INSULATOR	1	TEFLON	WHITE COLOR
A	COPPER BODY	1	BRASS	NICKEL PLATING
NO	DESCRIPTION	QTY	MATERIAL	PLATING & COLOR

UNLESS OTHERWISE SPECIFIED TOLERANCES		Singatron Enterprise Co., Ltd. 信音企業股份有限公司	
DECIMALS:	ANGLES:	TITLE	Cable Assembly(PAL+EP)
X : ±0.5	X : ±2°	DWN	JEFF 2013.6.7
XX : ±0.3	XX : ±1°	CHKD	SCALE 2:1 UNIT: mm
XXX : ±0.2		APVD	ACHENG 2013.6.7
		SIZE: A3	SHEET: 1 OF 1
		REV: E	
CUSTOMER COPY			

- SPECIFICATIONS:**
1. IMPEDANCE : 75 Ω for IEC NOMINAL
 2. FREQUENCY RANGE : 0~1 GHz
 3. OTHER GENERAL SPEC. TO REFER "2RF1009-015008F SERIES SPEC".
 4. TO CONFORM TO THE EU RoHS DIRECTIVE.
 5. PRODUCT IDENTIFICATION LABEL ON PACKAGING: **RoHS**