




PART NO.:
2RF1010-015009F

NO.:	STATEMENT
0	Hold Back
1	STRAIGHT 75Ω
5	ASSEMBLY FOR CABLE-PANEL
0	JACK
09	SERIES NO.
F	HALOGEN FREE



YYMMDD	BA39-01197A
REV 1.0	

DATE CODE



CONTACT PIN DEFINITION

PIN	FUNCTION
#1	Signal
#2	Ground

CONTACT PIN DEFINITION

PIN	FUNCTION
#1	Signal
#2	Ground

DECIMALS: :±0.5 X :±2
:±0.3 X.X :±1'
:±0.2 X.XX

REV	ECN NO	OR DESCRIPTION	REVISED	DATE
A	PDR NO. T11020-2A		BERYL	2011.12.01
		PRODUCT RELEASE		
B	ECN NO. T110083/T110084		BERYL	2012.03.23
C	ECN NO. T120043		BERYL	2012.05.09
D	ECN NO. T130032		JEFF	2013.06.07

QTY	DESCRIPTION	MATERIAL	PLATING & COLOR
1	NUT	BRASS	NICKEL PLATING
1	WASHER	BRASS 0.5t	NICKEL PLATING
1	LABEL	10X30mm	WHITE COLOR
1	HEAT SHRINK TUBE	φ2.5x10L	BLACK COLOR
1	HEAT SHRINK TUBE	φ2.5x20L	BLACK COLOR
1	O-TERMINAL	OD: 5 ; ID: 3.2	MAAT. TIN PLATING
1	WIRE	UL10368 26AWG	BLACK COLOR
1	PROTECT TUBE	φ3.0x20L	TRANSPARENT COLOR
1	Micro Coaxial Conn.	(50 ohm)BRASS	GOLD PLATING
1	WIRE	φ1.37 Coaxial Cable	GRAY COLOR
1	HEAT SHRINK TUBE	φ2.5x6L	BLACK COLOR
1	COPPER STOPPER	BRASS	NICKEL PLATING
1	CENTER CONTACT	BRASS	NICKEL PLATING
1	INSULATOR	TEFLON	WHITE COLOR
1	COPPER BODY	BRASS	NICKEL PLATING
1	NO	DESCRIPTION	MATERIAL

UNLESS OTHERWISE SPECIFIED TOLERANCES

Singatron Enterprise Co., Ltd.

信音企業股份有限公司

Cable Assembly(F)

PART NO. 2RF1010-015009F

SCALE 2:1 UNIT: mm

SHEET: 1 OF 1 REV: D

CUSTOMER COPY

- SPECIFICATIONS:**
1. IMPEDANCE : 75 Ω for NTSC NOMINAL
 2. FREQUENCY RANGE : 0~1 GHz
 3. OTHER GENERAL SPEC. TO REFER "2RF1010-015008F SPEC."
 4. TO CONFORM TO THE SINGATRON HSF SPEC.
 5. PRODUCT IDENTIFICATION LABEL ON PACKAGING:



A B C D E F

1 2 3 4 5 6 7 8