






PART NO.:
2RF1010-015101F

NO.:	STATEMENT
0	Hold Back
1	STRAIGHT 75Ω
5	ASSEMBLY FOR CABLE+PANEL
1	JACK
01	SERIES NO.
F	HALOGEN FREE



Contact Pin Definition

Pin	FUNCTION
#1	Signal
#2	Ground

- SPECIFICATIONS: (TYPE F)
1. IMPEDANCE : 75 Ω for NTSC NOMINAL
 2. FREQUENCY RANGE: 0~1 GHz
 3. OTHER GENERAL SPEC. TO REFER "2RF1010-X151XXF SERIES SPEC".
 4. TO CONFORM TO THE SINGATRON HSF SPEC.
 5. PRODUCT IDENTIFICATION LABEL ON PACKAGING.



REV.	ECN NO. OR DESCRIPTION	REVISED	DATE
A	PDR NO. T101020-10B	BERYL	2011.05.23
B	PRODUCT RELEASE	BERYL	2011.07.06
C	ECN NO. T110011 Modify wire length 100±5 → 85±5	BERYL	2012.01.17
	ECN NO. T110053	BERYL	2012.01.17

NO.	DESCRIPTION	QTY	MATERIAL	PLATING & COLOR
L	NUT	1	ZINC ALLOY	NICKEL PLATING
K	WASHER	1	SPCC 0.5T	NICKEL PLATING
J	ACETATE CLOTH TAPE	1	0.12t	BLACK COLOR
I	PROTECT TUBE	1	Ø3.0x20L	TRANSPARENT COLOR
H	Mirco Coaxial Conn.	1	(50 ohm) Brass	GOLD PLATING
G	WIRE	1	Ø1.37 Coaxial Cable	GRAY COLOR
F	LABEL	1	20x18mm	WHITE COLOR
E	HEAT SHRINK TUBE	1	Ø2.5x7L	BLACK COLOR
D	COPPER STOPPER	1	ZINC ALLOY	NICKEL PLATING
C	CENTER CONTACT	1	PHOSPHOR BRONZE	GOLD FLASH
B	INSULATOR	1	POLYCARBONATE HF	WHITE COLOR
A	ALLOY BODY	1	ZINC ALLOY	NICKEL PLATING
NO	DESCRIPTION			

UNLESS OTHERWISE SPECIFIED TOLERANCES

DECIMALS:	ANGLES:
X : ±0.5	X : ±2°
X.X : ±0.3	X.X : ±1'
X.XX : ±0.2	

Singatron Enterprise Co., Ltd.
信音企業股份有限公司

Cable Assembly(F)

DWN: BERN 2012.1.17 PART NO. 2RF1010-015101F
CHKD: JEF 2012.1.19 SCALE: 2:1 UNIT: mm
APVD: ANEBA 2012.1.18 SIZE: A3 SHEET: 1 OF 1 REV: C

CUSTOMER COPY