

1 2 3 4 5 6 7 8

F

E

D

C

B

A

F

E



D

C





B

A

REV	ECN.NO.	REVISIONS	REV.DRAWN	DATE
K	----	增加电镀膜厚描述	sunquan	2012/09/08
L	12051	加大盖子吸附面	sunquan	2012/11/14
M	----	定义CAP颜色为黑色	sunquan	2013/07/19
N	----	加标CAP外形尺寸	YangSong	2015/12/29



Recommended P.C.B Layout



SPECIFICATIONS


- . Rated Voltage : 50V AC/DC
- . Rated Current : 0.7A AC/DC
- . Withstanding Voltage : 200V AC/minute
- . Insulation Resistance ; 100MΩ min
- . Temperature Range : -25°C to +85°C
- . Contact Resistance : 20mΩ max

FEATURES

. Part No. : 2WBID0801V-XXXX-XX-XXXX

- Poles : 2~22
- (NM): Matte sn
- Sn>100μ" Ni>30μ"
- G0: Gold Flash
- Au>0.8μ" Ni>30μ"
- Blank: Nature
- BK: Black
- B: Backward feed
- Blank: Forward feed
- S: Plastic Plate
- Blank&P: Paper Plate
- Blank: Normal
- NH: Halogen free

- . Material : Contact : Copper Alloy, T=0.15mm, Gold Plated/Matte sn
- Mounting Ear : Copper Alloy, T=0.20mm, Gold Plated/Matte sn
- Base : High Temp Plastic UL 94V-0
- Cap : High Temp Plastic UL 94V-0; Color : Black
- . Q'ty : 2000 pcs/Reel
- . Halogen free product identification LOGO on the packing



Top entry type

POLES	DIMENSIONS				POLES	DIMENSIONS			
	A	B	C	D		A	B	C	D
2	0.80	1.80	3.00	3.80	13	9.60	10.60	11.80	12.60
3	1.60	2.60	3.80	4.60	14	10.40	11.40	12.60	13.40
4	2.40	3.40	4.60	5.40	15	11.20	12.20	13.40	14.20
5	3.20	4.20	5.40	6.20	16	12.00	13.00	14.20	15.00
6	4.00	5.00	6.20	7.00	17	12.80	13.80	15.00	15.80
7	4.80	5.80	7.00	7.80	18	13.60	14.60	15.80	16.60
8	5.60	6.60	7.80	8.60	19	14.40	15.40	16.60	17.40
9	6.40	7.40	8.60	9.40	20	15.20	16.20	17.40	18.20
10	7.20	8.20	9.40	10.20	21	16.00	17.00	18.20	19.00
11	8.00	9.00	10.20	11.00	22	16.80	17.80	19.00	19.80
12	8.80	9.80	11.00	11.80					

.X±	0.40	X±	5.0'
.X±	0.30	.X±	2.0'
.XX±	0.20	.XX±	1.0'
.XXX±	0.10	.XXX±	----

Singatron Enterprise Co., Ltd.

TITLE		WIRE TO BOARD CONNECTOR		
DWN	Asimo	PART NO. 2WBID0801V-XX		
CHKD	2010-05-04	SCALE 1:1	UNIT: mm	④
APVD		SIZE: A3	SHEET: 1 OF 1	REV: N
<b>CUSTOMER COPY</b>				

符合环境管理物质

1 2 3 4 5 6 7 8